| | | 1MA1 Pr | actice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|-----|-------|-----------------------------|---|----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| 1. | (a) | | x = 3 drawn | 1 | B1 for $x = 3$ drawn [Note: each line drawn must be a single line segment satisfying $x = 3$] |
| | (b) | | y = x drawn | 1 | B1 for $y = x$ drawn [Note: each line drawn must be a single line segment satisfying $y = x$] |
| | (c) | Gradient = $\frac{3-0}{02}$ | 1.5 | 2 | M1 for a method to find the gradient of the given line A1 for 1.5 oe |
| 2. | | | Points plotted at (5, 6), (15, 9), (25, 8), (35, 7), (45,5) and joined with line segments | 2 | B2 for correct plotting of 5 points and joining with line segments (B1 for points plotted correctly at midpoints of intervals OR joining points with line segments at the correct heights and consistent within the class interval (including end values) OR correct frequency polygon with one point incorrect OR correct frequency polygon with first and last point joined) NB Ignore any histogram drawn and any part of frequency polygon outside range of first and last points plotted |

| | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|----------|--|-------------------------------------|----------|---|
| Question | Working | Answer | Mark | Notes |
| 3. | $180 \times 365 = 65700$ | Decision (Should have a water meter | 5 | Per year |
| | $65700 \div 1000 = 65.7$ | installed) | | M1 for 180 × '365' (= 65700) |
| | $65.7 \times 91.22 = 5993.154$ | | | M1 for "65700"÷1000 (= 65.7 or 65 or 66) |
| | 5993.154 ÷ 100 + 28.20 | | | M1 for "65.7" × 91.22 (=5 993) |
| | = 88.13 | | | A1 for answer in range $(£)87 - (£)89$ |
| | | | | C1(dep on at least M1) for conclusion following from working seen |
| | D U C T 366 65880 6010 88.30 365 65700 5993 88.13 65000 5929 87.49 66000 6020 88.40 364 65520 5976 87.96 360 64800 5911 87.31 336 60480 5517 83.37 | | | OR (per day) M1 for 107 ÷ '365' (=0.293) M1 for 180 ÷ 1000 × 91.22 (=16.4196) M1 for 28.2 ÷ '365' + '0.164196' (units must be consistent) A1 for 29 – 30(p) and 24– 24.3(p) oe C1(dep on at least M1) for conclusion following from working seen |

| | | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|--------|-------|----------|-------------------------|----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| Que 4. | (a) | | 1 | 1 | M1 for $15 \div 60$ oe or clear attempt to find gradient A1 for £0.25 or 25p M1 for Tariff B price for 90 units 20×90 (=1800) or 0.2×90 (= 18) OR Tariff A price per unit $\frac{1900}{90}$ or $\frac{19}{90}$ |
| | | | | | B1 for reading from Tariff A graph at 90 units or £19 C1 for £18 and £19 with 'yes' or 21.(1)p with 'yes' OR M1 for drawing the correct line (for Tariff B) through the origin with gradient 0.2 B1 for reading from Tariff A graph at 90 units or 19 seen C1 for £18 and £19 with 'yes' |

| | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|--------|---|-------------------------|----------|--|
| Questi | ion Working | Answer | Mark | Notes |
| 5. | Some area examples: | 550 ft ² | 4 | M1 Using the correct dimensions to calculate an area |
| | $\frac{1}{2} \times 12 \times 25 = 150$ | | | M1 Complete method to find the area of the grass |
| | 8× 25 = 200 | | | A1 cao |
| | $\frac{1}{2} \times 11 \times 25 = 137.5$ | | | C1 (dep on a previous M mark) correct units communicated |
| | $5 \times 25 = 125$ | | | |
| | $\frac{1}{2} \times 21 \times 25 = 262.5$ | | | |
| | $\frac{1}{2} \times 44 \times 25 = 550$ | | | |
| | $\frac{1}{2} \times 70 \times 25 = 875$ | | | |
| | $40 \times 25 = 1000$ | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| | | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (Re | egular) mark scheme – Version 1.0 |
|-----|-------|-----------|--|-----------|---|
| Que | stion | Working | Answer | Mark | Notes |
| 6. | (a) | p^{5+4} | | 1 | B1 (accept p^{5+4}) |
| | (b) | q^{5-2} | | 1 | B1 (accept q^{5-2}) |
| | (c) | | | 2 | B2 (accept $2t^0u$, $2t^0u^1$ oe) |
| | | | | | (B1 for 2 correct terms from 2, t^0 and u oe eg u^1) |
| | (d) | | | 2 | B2 cao |
| | | | | | (B1 for 2 correct terms from 3, w and y^3 oe) |
| | | | | | NB: accept w^1 for w . |
| | (e) | | x^{-2} x^{0} $x^{\frac{1}{2}}$ x x^{2} | 2 | B2 cao |
| | | | | | (B1 for any 4 in relative correct order, or all correct but in reverse order) |
| 7. | | | 64% | 4 | M1 for 0.8 × 8000 (= 6400) oe |
| | | | | | M1 for $0.8 \times 0.8 \times 8000$ (=5120) oe |
| | | | | | M1 (dep on M2) for (= 64) |
| | | | | | C1 for 64% from correct working |
| | | | | | |
| | | | | | |

| | | 1MA1 Prac | ctice papers Set 5: Pap | oer 3H (R | egular) mark scheme – Version 1.0 |
|-----|--------|--|-------------------------------|-----------|--|
| Que | estion | Working | Answer | Mark | Notes |
| 8. | | 578 ÷ 0.85 | 680 | 3 | M1 for 100% - 15% (=85%) or 1 - 0.15 (=0.85) oe M1 for 578 ÷ 0.85 A1 cao |
| 9. | (a) | | 12, 6 | 2 | M1 for frequency density calculation (implied by one answer), or 1 cm ² = 2 (trains), or fd = 0.5 or 8 cm ² = 16 A1 both 12 and 6 |
| | (b) | Bar of height 5cm (5–10) Bar of height 1cm (30–50) | Height 5cm Height 1cm | 2 | M1 for frequency density calculation (implied by one correct bar) or $1 \text{ cm}^2 = 2$ (trains) or $fd = 0.5$ A1 for bar of height 5cm (5 to 10) AND for bar of height 1 cm (30 to 50) 8 cm ² = 16 |
| 10. | | $y^{2} = \frac{2x+1}{x-1}$ $y^{2}(x-1) = 2x+1$ $y^{2}x-y^{2} = 2x+1$ $y^{2}x-2x = y^{2}+1$ | $x = \frac{y^2 + 1}{y^2 - 2}$ | 4 | M1 squaring both sides to get a correct equation M1 removing denominator to get a correct equation M1 correctly gathering xs on one side of a correct equation with non-x terms on the other side A1 |

| | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|----------|----------|-------------------------|----------|---|
| Question | Working | Answer | Mark | Notes |
| 11. | | 9.54 | 3 | M1 for $(BC^2=)$ 52 + 62 - 2 × 5 × 6 × cos 120° M1 for correct order of evaluation or 91 |
| 12. | | Rotation, | 3 | A1 for 9.53 – 9.54 B1 for rotation |
| | | 180°, | | B1 for 180° (accept half turn) |
| | | centre (-1, 1) | | B1 for (-1, 1) |
| | | | | (SC B1 for triangle with vertices $(-3, 0)$ $(-5, 0)$ $(-3, -4)$ drawn) |
| | | | | OR |
| | | | | B1 for enlargement |
| | | | | B1 for scale factor – 1 |
| | | | | B1 for (-1, 1) |
| | | | | (NB: a combination of transformations scores no marks) |
| | | | | |

| | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|------|------------------------------------|-------------------------|----------|--|
| Ques | tion Working | Answer | Mark | Notes |
| 13. | 4(x+4) = 4x + 16 | 51/3 | 5 | M1 for a correct expression for at least one perimeter. |
| | 4(3x+4) = 12x + 16 | | | M1 for " $4x + 16$ " = $\frac{2}{3}$ " $(12x + 16)$ " oe |
| | | | | M1 for $12x + 48 = 24x + 32$ or $4x + 16 = 8x + \frac{32}{3}$ oe A1 for $\frac{4}{3}$ |
| | $4x + 16 = \frac{2}{3} (12x + 16)$ | | | B1 ft for " $\frac{4}{3}$ " + 4 |
| | 12x + 48 = 24x + 32 | | | OR |
| | 12x = 16 | | | M2 for $x + 4 = \frac{2}{3}(3x + 4)$ |
| | | | | M1 for $3x + 12 = 6x + 8$ or $x + 4 = x + \frac{8}{3}$ oe |
| | | | | A1 for $\frac{4}{3}$ |
| | | | | B1 ft for " $\frac{4}{3}$ " + 4 |
| | | | | |
| | | | | |

| | | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|-----|-------|---|-------------------------|----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| 14. | (a) | $F = \frac{k}{x^2}$ | | 3 | M1 k must be a letter not a number |
| | | $F = \frac{k}{x^2}$ $0.8 = \frac{k}{5^2} \text{ or } k = 20$ $x^2 = \frac{20}{320} \text{ or } x = \sqrt{\frac{20}{320}}$ | 20 | | M1 for substitution (implies first M1) |
| | | $x^2 = \frac{20}{100}$ or $x = \sqrt{\frac{20}{1000}}$ | $F = \frac{20}{x^2}$ | | A1 (Award 3 marks for $F = \frac{k}{r^2}$ and $k = 20$ stated anywhere |
| | | 320 | x^2 | | (even in (b)) unless contradicted by later work) |
| | (b) | | | 2 | M1 ft if $k \neq 1$ for correct rearrangement |
| | , , | | | | _ |
| | | | | | NB. The only ft is for the value of k in $F = \frac{k}{x^2}$ |
| | | | 0.25 oe | | A1 cao (ignore ±) |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (R | egular) mark scheme – Version 1.0 |
|-----|--------|----------|-------------------------|----------|--|
| Que | estion | Working | Answer | Mark | Notes |
| 15. | | | 22.5 | 3 | M1 for $\frac{1}{2} \times 7 \times 5 \times \sin 40$ or $\frac{1}{2} \times 7 \times 5 \times \sin(180 - 40)$ M1 (dep M1) for doubling the area of the triangle A1 for 22.4 – 22.5 OR M1 for complete method to find height of parallelogram, e,g. 5 sin 40° M1 (dep M1) for complete method to find the area of the parallelogram, e.g. $7 \times 5 \sin 40^\circ$ A1 for 22.4 – 22.5 |
| 16. | (i) | | assumption | 4 | M1 for 50/8 (=6.25) or 8/50 (= 0.16) or 40/8 (=5) or 8/40 (= 0.2) or $\frac{50}{n} = \frac{8}{40}$ oe M1 for 50 × 40 ÷ 8 or 50 × 5 or 6.25 × 40 or 50 ÷ 0.2 oe A1 cao B1 for correct mathematical assumption, e.g. fixed population, takes random sample |

| | 1MA1 Pra | ctice papers Set 5: Pap | er 3H (Re | egular) mark scheme – Version 1.0 |
|----------|---|-------------------------|-----------|--|
| Question | Working | Answer | Mark | Notes |
| 17. | Growth factor = $\frac{100 + n}{100}$ | 1159 or 1160 | 5 | M1 for introducing growth factor $M1 \text{ for } 500 \times \frac{100 + n}{100} \times \frac{100 + n}{100} = 700$ |
| | $500 \times \frac{100 + n}{100} \times \frac{100 + n}{100}$ $= 700$ $(100 + n)^{2} = 14000$ | | | 100 100 A1 for 18.32 or 118.32 M1 for 500×1.1832^5 |
| | 100 + n = 118.32 $n = 18.32$ | | | A1 for 1158 or 1159 or 1160 (accept 1143 or 1144) |
| | After 5 years, 500 × 1.1832 ⁵ | | | OR |
| | OR $500 \times 1.1 \times 1.1 = 605$ too low $500 \times 1.2 \times 1.2 = 720$ too big $500 \times 1.18 \times 1.18 = 696.2$ too low $500 \times 1.19 \times 1.19 =$ | | | M1 for any trial evaluated and compared with 700 M1 for trials above and below A1 for 1.1832 or better M1 for 500×1.1832^5 A1 for 1158 or 1159 or 1160 (accept 1143 or 1144) |

| | | 1MA1 Prac | ctice papers Set 5: Pap | oer 3H (R | egular) mark scheme – Version 1.0 |
|-----|-------|---|---------------------------|-----------|--|
| Que | stion | Working | Answer | Mark | Notes |
| | | 708.05 too big | | | OR |
| | | 500 × 1.183 × 1.183 = 699.745 | | | |
| | | too low | | | M1 for introducing a growth factor |
| | | 500 × 1.184 × 1.184 = | | | M1 for $500r^2 = 700$ |
| | | 700.9 too big | | | A1 for $(r =)$ $\sqrt{\frac{700}{500}}$ oe or 1.18(3) |
| | | 500 × 1.1832 × 1.1832 = 699.98 | | | M1 for $500 \cdot \left(\sqrt{\frac{700}{500}}\right)^5$ oe |
| | | After 5 years, 500 × 1.1832 ⁵ | | | A1 for 1158 or 1159 or 1160 (accept 1143 or 1144) |
| 18. | (c) | $\frac{2(x+3) - (x-4)}{(x-4)(x+3)}$ $= \frac{2x+6-x+4}{(x-4)(x+3)}$ | $\frac{x+10}{(x-4)(x+3)}$ | 3 | M1 for common denominator of $(x-4)(x+3)$ M1 for $\frac{2(x+3)}{(x-4)(x+3)} - \frac{(x-4)}{(x-4)(x+3)} \frac{2(x+3)-(x-4)}{(x-4)(x+3)}$ oe condone missing brackets around $x-4$ A1 for $\frac{x+10}{(x-4)(x+3)}$ or $\frac{x+10}{x^2-x-12}$ |

| | 1MA1 Practice papers Set 5: Paper 3H (Regular) mark scheme – Version 1.0 | | | | | | | | |
|----------|--|------------|------|---|--|--|--|--|--|
| Question | Working | Answer | Mark | Notes | | | | | |
| 19. | $\frac{18}{30} \times \frac{12}{29} + \frac{7}{30} \times \frac{23}{29} + \frac{5}{30} \times \frac{25}{29}$ | 502 870 | 4 | B1 for a second 'branch' probability seen (could be seen in a tree) | | | | | |
| | or | | | M1 for a product of any first and second stage correct probabilities | | | | | |
| | $ \begin{array}{r} $ | | | M1 for a complete method to find the required probability | | | | | |
| | × 29) or | | | A1 for $\frac{502}{870}$ oe | | | | | |
| | $\frac{18}{30} \times \frac{7}{29} + \frac{18}{30} \times \frac{5}{29} + \frac{7}{30} \times \frac{18}{29}$ | | | Note if decimals used they must be correct to 2 decimal places | | | | | |
| | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | Special case with replacement: | | | | | |
| | | | | B2 for $\frac{502}{900}$ oe | | | | | |
| | | | | В0 | | | | | |
| | | | | M1 $\frac{18}{30} \times \frac{12}{30}$ or $\frac{7}{30} \times \frac{23}{30}$ or $\frac{5}{30} \times \frac{25}{30}$ | | | | | |
| | | | | $M1 \frac{18}{30} \times \frac{12}{30} + \frac{7}{30} \times \frac{23}{30} + \frac{5}{30} \times \frac{25}{30}$ | | | | | |
| | | | | A0 | | | | | |

| | 1MA1 Practice papers Set 5: Paper 3H (Regular) mark scheme – Version 1.0 | | | | | | | | |
|---------|--|-----------------|------|---|--|--|--|--|--|
| Questio | on Working | Answer | Mark | Notes | | | | | |
| 20. | | x < -4, x > 2.5 | 4 | M1 for rearranging to give $2x^2 + 3x - 20 > 0$ | | | | | |
| | | | | M1 for method to solve $2x^2 + 3x - 20 = 0$ | | | | | |
| | | | | M1 for establishing critical values 2.5 and –4 | | | | | |
| | | | | A1 $x < -4$, $x > 2.5$ | | | | | |

National performance data from Results Plus

| | Original source of questions | | | ıs | | | Mean score of students achieving grade: | | | | | | |
|----|------------------------------|-------|---------|------|----------------------------------|-------|---|------------|------|------|------|------|------|
| | | | Session | | | Max | | | | | | | |
| Qn | Spec | Paper | YYMM | Qn | Topic | score | ALL | A * | Α | В | С | D | Е |
| 1 | 1MA0 | 2F | 1303 | Q22 | Graphs of linear equations | 2 | 0.08 | | | | 0.21 | 0.04 | 0.01 |
| 2 | 5MB1 | 1F | 1306 | Q16 | Frequency polygon | 2 | 0.63 | | | | 1.27 | 0.92 | 0.64 |
| 3 | 1MA0 | 2F | 1206 | Q28 | Compound measures | 5 | 1.03 | | | | 2.54 | 1.20 | 0.46 |
| 4 | 5AM1 | 1H | 1306 | Q09 | Conversion graphs | 5 | 3.43 | 4.72 | 4.21 | 3.59 | 2.75 | 1.79 | 0.38 |
| 5 | 5AM1 | 1H | 1206 | Q07 | Area | 4 | 2.07 | 3.57 | 2.94 | 2.09 | 1.12 | 0.58 | 0.00 |
| 6 | 1380 | 2H | 1006 | Q22 | Index laws | 8 | 4.70 | 7.21 | 5.74 | 4.64 | 3.72 | 2.60 | 1.68 |
| 7 | 5MM2 | 2H | 1311 | Q20 | Ratio | 4 | 2.45 | 3.77 | 3.48 | 2.98 | 1.89 | 0.55 | 0.04 |
| 8 | 5AM1 | 1H | 1306 | Q19 | Reverse percentages | 3 | 1.75 | 2.96 | 2.71 | 1.92 | 0.90 | 0.25 | 0.00 |
| 9 | 1380 | 2H | 1006 | Q25 | Histograms and grouped frequency | 4 | 1.97 | 3.71 | 2.94 | 1.86 | 1.08 | 0.63 | 0.34 |
| 10 | 4MA0 | 1H | 1405 | Q17 | Rearranging equations | 4 | 1.82 | 2.91 | 1.64 | 0.87 | 0.34 | 0.09 | 0.02 |
| 11 | 5MM2 | 2H | 1311 | Q23 | Sine and cosine rule | 3 | 1.27 | 2.97 | 2.55 | 1.52 | 0.32 | 0.02 | 0.00 |
| 12 | 1380 | 2H | 1203 | Q17 | Transformations | 3 | 0.97 | 2.62 | 1.96 | 1.20 | 0.53 | 0.22 | 0.15 |
| 13 | 5AM1 | 1H | 1111 | Q14 | Solve linear equations | 5 | 1.25 | 4.83 | 1.43 | 0.70 | 0.36 | 0.57 | 1.00 |
| 14 | 4MA0 | 2H | 1405 | Q17 | Direct and inverse proportion | 5 | 3.11 | 4.62 | 3.29 | 1.57 | 0.53 | 0.13 | 0.04 |
| 15 | 1MA0 | 2H | 1506 | Q23 | Trigonometry | 3 | 0.69 | 2.58 | 1.78 | 0.76 | 0.15 | 0.02 | 0.00 |
| 16 | 5MB1 | 1H | 1311 | Q17 | Estimating populations | 4 | 1.04 | 3.76 | 2.46 | 1.39 | 0.60 | 0.38 | 0.00 |
| 17 | 5AM2 | 2H | 1111 | Q25 | Graphs of exponential functions | 5 | 0.73 | 5.00 | 1.29 | 0.67 | 0.00 | 0.00 | 0.00 |
| 18 | 1380 | 2H | 1111 | Q23c | Algebraic fractions | 3 | 0.28 | 2.04 | 1.03 | 0.30 | 0.04 | 0.01 | 0.00 |
| 19 | 1MA0 | 2H | 1511 | Q25 | Probability | 4 | 0.34 | 3.45 | 2.77 | 1.48 | 0.34 | 0.06 | 0.01 |
| 20 | NEW | | | | Inequalities | 4 | | | | | | | |
| | | | | | | 80 | | | | | | | |